



Penile Rehabilitation Following Radical Prostatectomy

PubMed Search January 2012

1. Postprostatectomy erectile dysfunction: the role of penile rehabilitation.
Defade BP, Carson CC 3rd, Kennelly MJ.
University of North Carolina
Rev Urol. 2011;13(1):6-13.
2. Erectile preservation following radical prostatectomy.
Segal R, Burnett AL.
James Buchanan Brady Urological Institute, Johns Hopkins Medical Institutions
Ther Adv Urol. 2011 Feb;3(1):35-46.
3. Management of post-prostatectomy erectile dysfunction.
Jamal JE, Engel JD.
George Washington University Hospital
Can J Urol. 2011 Jun;18(3):5726-30.
4. Vacuum Erection Devices Revisited: Its Emerging Role in the Treatment of Erectile Dysfunction and Early Penile Rehabilitation Following Prostate Cancer Therapy.
Pahlajani G, Raina R, Jones S, Ali M, Zippe C.
Glickman Urological and Kidney Institute, Cleveland Clinic
J Sex Med. 2010 Nov 3
5. Vacuum therapy in erectile dysfunction--science and clinical evidence.
Yuan J, Hoang AN, Romero CA, Lin H, Dai Y, Wang R.
University of Texas Medical School at Houston
Int J Impot Res. 2010 Jul-Aug;22(4):211-9
6. Long-term potency after early use of a vacuum erection device following radical prostatectomy.
Raina R, Pahlajani G, Agarwal A, Jones S, Zippe C.
Case Medical Center
BJU Int. 2010 Dec;106(11):1719-22.
7. Erectile function rehabilitation in the radical prostatectomy patient.
Mulhall JP, Bella AJ, Briganti A, McCullough A, Brock G.
Memorial Sloan Kettering
J Sex Med. 2010 Apr;7(4 Pt 2):1687-98.
8. Current state of penile rehabilitation after radical prostatectomy.
Garcia FJ, Brock G.
London Health Sciences Centre
Curr Opin Urol. 2010 May;20(3):234-40.
9. The role of vacuum erection devices in penile rehabilitation after radical prostatectomy.
Lehrfeld T, Lee DI.
University of Pennsylvania School of Medicine
Int J Impot Res. 2009 May-Jun;21(3):158-64.
10. Penile rehabilitation following radical prostatectomy: predicting success.
Müller A, Parker M, Waters BW, Flanigan RC, Mulhall JP.
Memorial Sloan Kettering
J Sex Med. 2009 Oct;6(10):2806-12.
11. Erectile dysfunction following prostatectomy: prevention and treatment.
Magheli A, Burnett AL.
Charité University Medicine Berlin.
Nat Rev Urol. 2009 Aug;6(8):415-27.
12. Post-radical prostatectomy pharmacological penile rehabilitation: practice patterns among the international society for sexual medicine practitioners.
Teloken P, Mesquita G, Montorsi F, Mulhall J.
Memorial Sloan Kettering
J Sex Med. 2009 Jul;6(7):2032-8.

13. Should penile rehabilitation become the norm following radical prostatectomy?
Shaiji TA, Chb M, Brock G.
London Health Sciences Centre
Can Urol Assoc J. 2009 Feb;3(1):50-3.
14. Vacuum erection devices to treat erectile dysfunction and early penile rehabilitation following radical prostatectomy.
Zippe CD, Pahlajani G.
Glickman Urological and Kidney Institute, Cleveland Clinic
Curr Urol Rep. 2008 Nov;9(6):506-13.
15. Penile rehabilitation following radical prostatectomy.
Mulhall JP.
Memorial Sloan Kettering
Curr Opin Urol. 2008 Nov;18(6):613-20
16. Preclinical evidence for the benefits of penile rehabilitation therapy following nerve-sparing radical prostatectomy.
Albersen M, Joniau S, Claes H, Van Poppel H.
University Hospitals Leuven, Belgium
Adv Urol. 2008:594868.
17. Rehabilitation of erectile function following radical prostatectomy.
McCullough AR.
New York University School of Medicine
Asian J Androl. 2008 Jan;10(1):61-74
18. Early penile rehabilitation following radical prostatectomy: Cleveland clinic experience.
Raina R, Pahlajani G, Agarwal A, Zippe CD.
Glickman Urological Institute, Cleveland Clinic
Int J Impot Res. 2008 Mar-Apr;20(2):121-6.
19. Cryoablation as primary treatment for localized prostate cancer followed by penile rehabilitation.
Ellis DS, Manny TB Jr, Rewcastle JC.
Urology Associates of North Texas
Urology. 2007 Feb;69(2):306-10.
20. Penile rehabilitation should become the norm for radical prostatectomy patients.
Mulhall JP, Morgentaler A.
Memorial Sloan Kettering
J Sex Med. 2007 May;4(3):538-43.
21. Preservation of penile length after radical prostatectomy: early intervention with a vacuum erection device.
Dalkin BL, Christopher BA.
Tucson Medical Center
Int J Impot Res. 2007 Sep-Oct;19(5):501-4.
22. Penile rehabilitation after radical prostatectomy: where do we stand and where are we going?
Wang R.
University of Texas Medical School at Houston
J Sex Med. 2007 Jul;4(4 Pt 2):1085-97.
23. Erectile function after nerve-sparing radical prostatectomy. Nocturnal early erection as a parameter of postoperative organic erectile integrity
Universitätsklinikum Schleswig-Holstein
Bannowsky A, Schulze H, van der Horst C, Stübinger JH, Portillo FJ, Jünemann KP.
Urologe A. 2005 May;44(5):521-6.
24. Penile rehabilitation following radical prostatectomy: role of early intervention and chronic therapy.
Zippe CD, Pahlajani G.
Glickman Urological and Kidney Institute, Cleveland Clinic
Urol Clin North Am. 2007 Nov;34(4):601-18.
25. A pilot study on the early use of the vacuum erection device after radical retropubic prostatectomy.
Köhler TS, Pedro R, Hendlin K, Utz W, Ugarte R, Reddy P, Makhlof A, Ryndin I, Canales BK, Weiland D, Nakib N, Ramani A, Anderson JK, Monga M.
University of Minnesota, Minneapolis, MN



BJU Int. 2007 Oct;100(4):858-62.

26. Early use of vacuum constriction device following radical prostatectomy facilitates early sexual activity and potentially earlier return of erectile function.
Raina R, Agarwal A, Ausmundson S, Lakin M, Nandipati KC, Montague DK, Mansour D, Zippe CD.
Glickman Urological and Kidney Institute, Cleveland Clinic
Int J Impot Res. 2006 Jan-Feb;18(1):77-81.
27. Concomitant use of sildenafil and a vacuum entrapment device for the treatment of erectile dysfunction.
Chen J, Sofer M, Kaver I, Matzkin H, Greenstein A.
Tel Aviv Sourasky Medical Center
J Urol. 2004 Jan;171(1):292-5.
28. Management of erectile dysfunction following radical prostatectomy.
Zippe CD, Raina R, Thukral M, Lakin MM, Klein EA, Agarwal A.
Glickman Urological and Kidney Institute, Cleveland Clinic
Curr Urol Rep. 2001 Dec;2(6):495-503.